ELSEVIER

Soil Dynamics and Earthquake Engineering 22 (2002) I–VI

SOIL DYNAMICS AND EARTHQUAKE ENGINEERING

www.elsevier.com/locate/soildyn

# Contents of Volume 22

## *Number 1*

Editorial . . . . . 1

Stochastic soil dynamics . . . . . 3
G. D. MANOLIS (Greece)

Verifying adequacy of the seismic deformation method by using real examples of earthquake damage . . . . . 17
X. LUO, Y. MURONO & A. NISHIMURA (Japan)

Scenario predictions for potential near-field and far-field earthquakes affecting Hong Kong . . . . . 29
A. M. CHANDLER (Hong Kong) & N. T. K. LAM (Australia)

Response spectrum predictions for potential near-field and far-field earthquakes affecting Hong Kong: rock sites . . . . . 47
N. T. K. LAM (Australia), A. M. CHANDLER (Hong Kong), J. L. WILSON & G. L. HUTCHINSON (Australia)

Characteristics of amplitude and duration for near fault strong ground motion from the 1999 Chi-Chi, Taiwan Earthquake . . . . . 73
G.-Q. WANG, X.-Y. ZHOU, P.-Z. ZHANG (China) & H. IGEL (Germany)

## *Number 2*

Time domain dynamic analysis of piles under impact loading . . . . . 97
S. KÜÇÜKARSLAN (Turkey)

Amplification of strong ground motion in the city of Zagreb, Croatia, estimated by computation of synthetic seismograms . . . . . 105
I. LOKMER, M. HERAK (Croatia), G. F. PANZA & F. VACCARI (Italy)

Seismic response of adjacent dense and loose saturated sand columns . . . . . 115
K. ADALIER & A.-W. ELGAMAL (USA)

A note on tsunami amplitudes above submarine slides and slumps . . . . . 129
M. I. TODOROVSKA, A. HAYIR & M. D. TRIFUNAC (USA)

A note on differences in tsunami source parameters for submarine slides and earthquakes 143
M. D. TRIFUNAC & M. I. TODOROVSKA (USA)

Calculation of free field response spectrum of a non-homogeneous soil deposit from bed rock response spectrum . . . . . 157
H. AFRA (Algeria) & A. PECKER (France)

## *Number 3*

A note on the effects of nonuniform spreading velocity of submarine slumps and slides on the near-field tsunami amplitudes . . . . . 167
M. D. TRIFUNAC, A. HAYIR & M. I. TODOROVSKA (USA)

Comparing shear-wave velocity profiles inverted from multichannel surface wave with borehole measurements . . . . . 181
J. XIA, R. D. MILLER, C. B. PARK (USA), J. A. HUNTER (Canada), J. B. HARRIS & J. IVANOV (USA)

PII: S0267-7261(02)00177-X

Plasticity model for sand under small and large cyclic strains: a multiaxial formulation. 191
A. G. PAPADIMITRIOU & G. D. BOUCKOVALAS (Greece)

Equivalent linear method considering frequency dependent characteristics of stiffness and damping . . . . . 205
N. YOSHIDA, S. KOBAYASHI, I. SUETOMI & K. MIURA (Japan)

Torsional vibrations of elastic foundation on saturated media . . . . . 223
L. CHEN & G. WANG (People's Republic of China)

Horizontal and vertical components of earthquake ground motions at liquefiable sites . 229
J. YANG (Germany), T. SATO (Japan), S. SAVIDIS (Germany) &
X. S. LI (People's Republic of China)

Assessing CPT-based methods for liquefaction evaluation with emphasis on the cases from the Chi-Chi, Taiwan, earthquake . . . . . 241
C. HSEIN JUANG, H. YUAN (USA), D.-H. LEE & C.-S. KU (ROC)

## *Number 4*

Computational modeling of cyclic mobility and post-liquefaction site response . . . . 259
A. ELGAMAL, Z. YANG (USA) & E. PARRA (Venezuela)

Transient foundation solution of saturated soil to impulsive concentrated loading . . . 273
X. L. ZHOU, J. H. WANG & J. F. LU (People's Republic of China)

Soil–structure interaction in the time domain using halfspace Green's functions . . . . 283
C. BODE, R. HIRSCHAUER & S. A. SAVIDIS (Germany)

Influence of earthquake frequency content on soil dynamic properties at CAO site . . . 297
J. C. CARVAJAL, V. M. TABOADA-URTUZUÁSTEGUI &
M. P. ROMO (Mexico)

Assessment of liquefaction-inducing peak ground velocity and frequency of horizontal ground shaking at onset of phenomenon. . . . . 309
M. V. KOSTADINOV & I. TOWHATA (Japan)

Boundary differential equation method: simplified dynamic soil stiffnesses for embedded rigid foundations . . . . . 323
T. NOGAMI & H. S. CHEN (Singapore)

Effects of basin edge on the distribution of damage in 1995 Dinar, Turkey earthquake . 335
B. S. BAKIR, M. Y. ÖZKAN & S. CILIZ (Turkey)

## *Number 5*

Was Grand Banks event of 1929 a slump spreading in two directions? . . . . . 349
M. D. TRIFUNAC (USA), A. HAYIR (Turkey) & M. I. TODOROVSKA (USA)

The use of modern statistical theories in the assessment of earthquake hazard, with application to quiet regions of eastern North America . . . . . 361
G. R. DARGAHI-NOUBARY (USA)

Site assessment and evaluation of spatial earthquake ground motion of Kyeongju . . . 371
D.-S. KIM, C.-K. CHUNG, C.-G. SUN & E.-S. BANG (South Korea)

The El Salvador earthquakes of January and February 2001: context, characteristics and implications for seismic risk . . . . . 389
J. J. BOMMER (UK), M. B. BENITO (Spain), M. CIUDAD-REAL (USA), A. LEMOINE (France), M. A. LÓPEZ-MENJÍVAR (El Salvador), R. MADARIAGA (France), J. MANKELOW (UK), P. MÉNDEZ DE HASBUN (El Salvador), W. MURPHY (UK), M. NIETO-LOVO (El Salvador), C. E. RODRÍGUEZ-PINEDA (Colombia) & H. ROSA (El Salvador)

## *Number 6*

Response spectrum predictions for potential near-field and far-field earthquakes affecting Hong Kong: soil sites . . . . . 419
A. M. CHANDLER (People's Republic of China), N. T. K. LAM (Australia) & M. N. SHEIKH (People's Republic of China)

Dynamic stress concentration near a fluid-filled permeable borehole induced by general modal vibrations of an internal cylindrical radiator . . . . . 441
S. M. HASHEMINEJAD & H. HOSSEINI (Iran)

Surface vibration due to a sequence of high speed moving harmonic rectangular loads . 459
G. LEFEUVE-MESGOUEZ (France), A. T. PEPLOW (Sweden) & D. LE HOUÉDEC (France)

Validation through HVSR measurements of a method for the quick detection of site amplification effects from intensity data: an application to a seismic area in Northern Italy 475
V. D'AMICO, D. ALBARELLO & M. MUCCIARELLI (Italy)

Embedded foundation in layered soil under dynamic excitations . . . . . 485
K. P. JAYA & A. MEHER PRASAD (India)

Nonlinear surface ground analysis via statistical approach . . . . . 499
I. TAKEWAKI, N. FUJII & K. UETANI (Japan)

## *Number 7*

Numerical simulation of soil liquefaction due to earthquake loading . . . . . 511
D. S. LIYANAPATHIRANA & H. G. POULOS (Australia)

Site amplification in lava rock on soft sediments . . . . . 525
B. BESSASON (Iceland) & A. M. KAYNIA (Norway)

A fundamental solution of a multilayered half-space due to an impulsive ring source. . 541
S. ZENG & R. LIANG (USA)

Effects of random variations of soil properties on site amplification of seismic ground motions . . . . . 551
S. WANG (Singapore) & H. HAO (Australia)

Rock falls induced by earthquakes: a statistical approach . . . . . 565
S. MARZORATI, L. LUZI & M. DE AMICIS (Italy)

Site amplification of S-waves in Bursa City and its vicinity, Northwestern Turkey: comparison of different approaches. . . . . 579
N. AKYOL (Turkey), A. AKINCI (Italy) & H. EYIDOĞAN (Turkey)

Critical evaluation of strong motion in Kocaeli and Düzce (Turkey) earthquakes. . . . 589
E. DURUKAL (Turkey)

Viscous damping formulation and high frequency motion propagation in non-linear site response analysis . . . . . 611
Y. M. A. HASHASH & D. PARK (USA)

## *Number 8*

Response of L-shaped rigid foundations embedded in a uniform half-space to traveling seismic waves 625
M. SUÁREZ, J. AVILÉS & F. J. SÁNCHEZ-SESMA (Mexico)

Effect of non-linear soil-structure interaction on seismic response of tall slender structures 639
A. M. HALABIAN & M. H. EL NAGGAR (Canada)

3D seismic response of a limited valley via BEM using 2.5D analytical Green's functions for an infinite free-rigid layer 659
J. ANTÓNIO & A. TADEU (Portugal)

Determination of dispersive phase velocities for SASW method using harmonic wavelet transform 675
D.-S. KIM & H.-C. PARK (South Korea)

Fuzzy neural network models for liquefaction prediction 685
M. S. RAHMAN & J. WANG (USA)

Response of soil media due to impulse loads and isolation using trenches 695
R. K. SHRIVASTAVA & N. S. V. KAMESWARARAO (India)

Strong motion dataset of Turkey: data processing and site classification 703
M. ZARÉ (Iran) & P.-Y. BARD (France)

Evaluation of models for Fourier amplitude spectra for the Taiwan region 719
V. SOKOLOV (Germany), C.-H. LOH & K.-L. WEN (ROC)

## *Numbers 9–12*

Piles in liquefiable soils: seismic analysis and design issues . . . . . 731
W. D. L. FINN & N. FUJITA (Japan)

Seismic hazard model for loss estimation and risk management in Taiwan . . . . . 743
K. W. CAMPBELL, P. C. THENHAUS, T. P. BARNHARD & D. B. HAMPSON (USA)

Development of site-specific design ground motions in Western and Eastern North America 755
W. SILVA & C. COSTANTINO (USA)

Ground motion evaluation procedures for performance-based design . . . . . 765
J. P. STEWART, S.-J. CHIOU, J. D. BRAY, R. W. GRAVES, P. G. SOMERVILLE & N. A. ABRAHAMSON (USA)

The contribution of the built environment to the free-field ground motion in Mexico City 773
F. J. CHÁVEZ-GARCÍA & M. CÁRDENAS-SOTO (Mexico)

Characteristics of strong ground motion during the 1999 Chi-Chi earthquake (Taiwan) and large aftershocks: comparison with the previously established models. . . . . 781
V. SOKOLOV (Germany), C.-H. LOH & K.-L. WEN (ROC)

The new accelerograph network for Santa Fe De Bogota, Colombia and implications for microzonation . . . . . 791
A. OJEDA, S. MARTINEZ, M. BERMUDEZ (Colombia) & K. ATAKAN (Norway)

Wavelet-based generation of spectrum-compatible time-histories . . . . . 799
S. MUKHERJEE & V. K. GUPTA (India)

Spatial variation of seismic motion induced by propagation of body waves . . . . . 805
D. ZENDAGUI & M. K. BERRAH (Algeria)

A stochastic approach to site-response component in seismic ground motion coherency model . . . . . 813
S. LIAO (USA) & J. LI (People's Republic of China)

Analytical representation of phase characteristics for source time function modeled by stochastic impulse train . . . . . 821
H. MORIKAWA, S. SAWADA, K. TOKI & K. KAWASAKI (Japan)

Bedrock structure in Adapazari, Turkey—a possible cause of severe damage by the 1999 Kociaeli earthquake. . . . . 829
M. KOMAZAWA, H. MORIKAWA, K. NAKAMURA, J. AKAMATSU, K. NISHIMURA, S. SAWADA (Japan), A. ERKEN & A. ONALP (Turkey)

Response of the Tarzana strong motion site during the 1994 Northridge earthquake . . 837
S. VAHDANI & S. WIKSTROM (USA)

Seismic site effects for shallow and deep alluvial basins: in-depth motion and focusing effect . . . . . 849
J. F. SEMBLAT, P. DANGLA, M. KHAM & A. M. DUVAL (France)

Estimation of local site effects by a generalized inversion scheme using observed records of Small-Titan . . . . . 855
Y. SHOJI & M. KAMIYAMA (Japan)

3D near-surface soil response from H/V ambient-noise ratios . . . . . 865
E. W. WOOLERY & R. STREET (USA)

Seismic response analysis of laterally inhomogeneous ground with emphasis on strains. 877
M. KAMIYAMA & T. SATOH (Japan)

Fundamental period and mode shape of layered soil profiles. . . . . 885
A. H. HADJIAN (USA)

Influence of the ground profile on the reduction of earthquake motion at the filled man-made islands in the Kobe harbor during the 1995 Hyogoken Nambu earthquake. . . . 893
T. FUKUSUMI, H. OZAKI & M. KOBA (Japan)

Seismic hazard in Takamatsu Japan from fault trenching and paleo-liquefaction studies 901
S. HASEGAWA & W. D. L. FINN (Japan)

Integration and influence of paleoseismic and geologic data for the seismic hazard evaluation in the Catalan coastal ranges, Spain . . . . . 911
A. OJEDA, K. ATAKAN (NORWAY), E. MASANA, P. SANTANACH, M.-J. JIMÉNEZ & M. GARCíA-FERNÁNDEZ (Spain)

Verification of precarious rock methodology using shake table tests of rock models . . 917
A. ANOOSHEHPOOR & J. N. BRUNE (USA)

Simultaneous measurement and inversion of surface wave dispersion and attenuation curves. . . . . 923
C. G. LAI (Italy), G. J. RIX (USA), S. FOTI (Australia) & V. ROMA (Italy)

Surface and downhole shear wave seismic methods for thick soil site investigations . . 931
J. A. HUNTER, B. BENJUMEA (Canada), J. B. HARRIS, R. D. MILLER (USA), S. E. PULLAN, R. A. BURNS & R. L. GOOD (Canada)

CPT site characterization for seismic hazards in the New Madrid seismic zone . . . . 943
T. LIAO, P. W. MAYNE, M. P. TUTTLE, E. S. SCHWEIG, R. B. VAN ARSDALE (USA)

Development of an electrically-driven automatic downhole seismic source . . . . . 951
T. J. CASEY & P. W. MAYNE (USA)

An equivalent linear algorithm with frequency- and pressure-dependent moduli and damping for the seismic analysis of deep sites . . . . . 959
D. ASSIMAKI & E. KAUSEL (USA)

Nonlinearity in the response of soils in the 1995 Kobe earthquake in vertical components of records . . . . . 967
O. PAVLENKO (Russian Federation) & K. IRIKURA (Japan)

Nonlinear elastic behavior of fiber-reinforced soil under cyclic loading 977
J. Li & D. W. DING (USA)

Local system identification analyses of the dynamic response of soil systems . . . . . 985
M. ZEGHAL & C. OSKAY (USA)

Applications of wavelet analysis to the investigation of the dynamic behaviour of geotechnical structures . . . . . 995
S. K. HAIGH (UK), B. TEYMUR (Turkey), S. P. G. MADABHUSHI & D. E. NEWLAND (UK)

A numerical model for dynamic soil liquefaction analysis. . . . . 1007
D. S. LIYANAPATHIRANA & H. G. POULOS (Australia)

Influence of colloidal silica grout on liquefaction potential and cyclic undrained behavior of loose sand. . . . . 1017
P. M. GALLAGHER & J. K. MITCHELL (USA)

Liquefaction strength of fly ash reinforced with randomly distributed fibers . . . . . 1027
A. BOOMINATHAN & S. HARI (India)

Liquefaction in silty soils—screening and remediation issues . . . . . 1035
S. THEVANAYAGAM & G. R. MARTIN (USA)

Centrifuge modeling of seismic behavior of a slope in liquefiable soil . . . . . 1043
V. M. TABOADA-URTUZUASTEGUI, G. MARTINEZ-RAMIREZ (Mexico) & T. ABDOUN (USA)

Evaluation of pile foundation response to lateral spreading . . . . . 1051
T. ABDOUN & R. DOBRY (USA)

Effectiveness of vertical drains in mitigation of liquefaction . . . . . 1059
A. J. BRENNAN & S. P. G. MADABHUSHI (UK)

Mitigation of lateral ground displacements of liquefied soils with underground barriers . 1067
I. ARANGO (USA)

Effective stress analyses of liquefaction-induced deformation in river dikes . . . . . 1075
O. OZUTSUMI, S. SAWADA, S. IAI, Y. TAKESHIMA, W. SUGIYAMA & T. SHIMAZU (Japan)

Liquefaction-induced ground deformations at Hotel Sapanca during Kocaeli (Izmit), Turkey earthquake . . . . . 1083
K. O. CETIN (Turkey), T. L. YOUD, R. B. SEED, J. D. BRAY, R. SANCIO, W. LETTIS (USA), M. T. YILMAZ & H. T. DURGUNOGLU (Turkey)

Correlation between ground failure and soil conditions in Adapazari, Turkey . . . . . 1093
R. B. SANÇIO, J. D. BRAY, J. P. STEWART, T. L. YOUD (USA), H. T. DURGUNOĞLU, A. ÖNALP (Turkey), R. B. SEED, C. CHRISTENSEN, M. B. BATURAY (USA) & T. KARADAYILAR (Turkey)

Flow and deformation failure of sandy slopes . . . . . 1103
G. BIONDI, E. CASCONE & M. MAUGERI (Italy)

A new simple method to substantially increase the seismic stability of reinforced soil structures . . . . . 1115
M. SHINODA, T. UCHIMURA, F. TATSUOKA, M. TATEYAMA & T. NATSUKI (Japan)

Wharf embankment and strengthening program at the Port of Oakland . . . . . 1125
F. R. LOBEDAN, T. LABASCO & K. OGUNFUNMI (USA)

Dynamic failure numeric simulations of model concrete-faced rock-fill dam. . . . . 1131
X. KONG & J. LIU (People's Republic of China)

Hybrid vibration experiments with a bridge foundation system model . . . . . 1135
H. KOBAYASHI, K. TAMURA & S. TANIMOTO (Japan)

Non-stationary response of structures excited by random seismic processes with time variable frequency content. . . . . 1143
J. NÁPRSTEK & C. FISCHER (Czech Republic)

Seismic analysis of base-isolated liquid storage tanks using the BEFEBE coupling technique . . . . . 1151
M. K. KIM, Y. M. LIM, S. Y. CHO, K. H. CHO & K. W. LEE (South Korea)

Seismic evaluation of existing nuclear facility using ambient vibration test to characterize dynamic behavior of the structure and microtremor measurements to characterize the soil: a case study . . . . . 1159
Ph. VOLANT, N. ORBOVIC & F. DUNAND (France)

Foundation design considerations for a pile supported critical facility. . . . . 1169
T. W. HOUSTON, C. J. COSTANTINO, Q. HOSSAIN & N. E. STONE (USA)

Site effect on vulnerability of high-rise shear wall buildings under near and far field earthquakes . . . . . 1175
Z. P. WEN, Y. X. HU & K. T. CHAU (People's Republic of China)

Seismic behavior and retrofitting of joints in traditional timber roof structures. . . . . 1183
M. A. PARISI & M. PIAZZA (Italy)

Assessment of seismic resistance of masonry structures including boundary conditions . 1193
E. JUHÁSOVÁ, M. HURÁK (Slovak Republic) & Z. ZEMBATY (Poland)

Lifelines earthquake vulnerability assessment: a systemic approach. . . . . 1199
S. MENONI, F. PERGALANI, M. P. BONI & V. PETRINI (Italy)

Seismic response of natural gas and water pipelines in the Ji-Ji earthquake . . . . . 1209
W. W. CHEN, B-j. SHIH, Y.-C. CHEN, J.-H. HUNG (ROC) & H. H. HWANG (USA)

Contents of Volume 22 . . . . . I